SPECIFICATION SHEET FOR Br₂ Sensor TYPE Br2/M-20

PERFORMANCE CHARACTERISTICS

Nominal Range	0 – 20 ppm
Maximum Overload	200 ppm
Expected Operation Life	2 years in air
Output Signal	- 600 ± 150 nA/ppm
Resolution	0.1 ppm
Temperature Range	- 20 °C to 45 °C
Pressure Range	Atmospheric ± 10%
Pressure Coefficient	No data
T ₈₀ Response Time	< 50 sec
Relative Humidity Range	15 % to 90 % R.H. non-
	condensing
Typical Baseline Range (pure	< 0.2 ppm
air, 20°C)	
Maximum Zero Shift (+20°C	- 0.4 ppm
to +40°C)	
Long Term Output Drift	< 2% signal loss/month
Recommended Load Resistor	10 – 33 Ohm
Bias Voltage	Not required
Repeatability	< 2 % of signal
Output Linearity	Linear

CROSS-SENSITIVITY DATA

Interfering Gas	Concentration	Reading
СО	300 ppm	0 ppm
SO ₂	5 ppm	0 ppm
NO	35 ppm	0 ppm
H ₂	300 ppm	0 ppm
Cl ₂	1 ppm	1 ppm
NO ₂	20 ppm	~ 20 ppm
H ₂ S		ND

Performance data conditions: 20 °C, 50% RH and 1013 mbar


APPLICATIONS


Continuous Air Quality Monitoring Safety and Environmental Control For Portable Gas Detectors

PHYSICAL CHARACTERISTICS

Weight	~ 5.4 g
Position Sensitivity	None
Storage Life	Six months in
	container
Recommended Storage	5 °C – 20 °C
Temperature	
Warranty Period	12 months from date of
	dispatch

Miniature-Size Outline Dimensions





Phone: +41 43 311 72 00 Fax: +41 43 311 72 01

Email: info@membrapor.ch www.membrapor.ch

REV.: 11/2009

MEMBRAPOR AG Birkenweg 2 CH-8304 Wallisellen Switzerland


Page 1 of 2

SPECIFICATION SHEET FOR Br₂ Sensor TYPE Br2/M-20

TEMPERATURE DEPENDENCE

The output of an electrochemical sensor varies with temperature. The graphs below show the variation in output with temperature for this type of sensor. The results are shown in the graphs as a mean for a batch of sensors, along with confidence intervals corresponding to ± 3 times the standard deviation. The sensitivity dependence is expressed as a percentage of the signal at 20 °C.

Sensitivity Temperature Dependence



The baseline is virtually not affected by changes in temperature.

The data contained in this document is for guidance only. Membrapor AG accepts no liability for any consequential losses, injury or damage resulting from the use of this document or the information contained within it. The data is given for guidance only. Customers should test under their own conditions, to ensure that the sensors are suitable for their own requirements.

REV.: 11/2009 Page 2 of 2

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 Email: info@membrapor.ch www.membrapor.ch