

# **Specification Sheet**



# Carbon Monoxide Gas Sensor CO/SF-200-S

CO Gas Sensor in Slim Housing

### **Applications**

- · Continuous Air Quality Monitoring
- · Safety and Environmental Control

#### **Measurement**

Operation Principle	3-Electrode Electrochemical	
Nominal Range	0 - 200 ppm	
Maximum Overload	400 ppm	
Inboard Filter	To remove acidic gases	
Output Signal	700 ± 200 nA/ppm	
Resolution (Electronics dependent)	< 0.1 ppm	
T90 Response Time	< 50 s	
Typical Baseline Range (pure air, 20°C)	-1 ppm to 2 ppm	
Maximum Zero Shift (+20°C to +40°C)	N.D. ppm	
Repeatability	< 2 % of signal	
Output Linearity	Linear	
Gain (Only applies to 4-Electrode sensors)	-	

Rev.: Jul-20 Page 1 of 4

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: info@membrapor.ch Website: www.membrapor.ch Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

#### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar



# **Specification Sheet**



# Carbon Monoxide Gas Sensor CO/SF-200-S

### **Electrical**

Rec. Load Resistor	10 - 33 Ω
Bias (V_Sens-V_Ref)	not recommended
Conformity to RoHS directive	RoHS Compliance

### **Environmental**

Relative Humidity Range	15 % to 90 % RH non-condensing	
Temperature Range	-40 °C to 50 °C	
Pressure Range	Atmospheric ± 10%	
Pressure Coefficient	N.D.	
Humidity Effect	None	

## **Lifetime**

Expected Operation Life	3 years in air	
Expected Long Term Output Drift in air	< 2 % signal loss per month	
Filter Life	N.D.	
Storage Life	6 months in container	
Rec. Storage Temperature	5°C - 20°C	
Warranty Period	12 months from date of dispatch	

Rev.: Jul-20 Page 2 of 4

Phone: +41 43 311 72 00
Fax: +41 43 311 72 01
E-Mail: info@membrapor.ch
Website: www.membrapor.ch

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

#### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar




# **Specification Sheet**



# Carbon Monoxide Gas Sensor CO/SF-200-S

#### Slim-Size Outline Dimensions



## **Mechanical**

Weight 27 g

Orientation Any

Housing material Polycarbonate

Rev.: Jul-20 Page 3 of 4

Phone: +41 43 311 72 00

Fax: +41 43 311 72 01

E-Mail: info@membrapor.ch

Website: www.membrapor.ch

Website: www.membrapor.ch

Switzerland

#### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar







# Carbon Monoxide Gas Sensor CO/SF-200-S

## **Cross Sensitivity Data**

The table below does not claim to be complete. Interfering gases should not be used for calibration. Please contact Membrapor AG for further support regarding cross sensitivities.

Interfering Gas	Concentration [ppm]	Reading [ppm]
$C_2H_4$	100	50
CH <sub>2</sub> O	7	0
$H_2$	100	< 40
H <sub>2</sub> S	20	0
NH <sub>3</sub>	80	0
NO	50	0
$NO_2$	5	0
O <sub>3</sub>	1	0
SO <sub>2</sub>	5	0

Rev.: Jul-20 Page 4 of 4

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: info@membrapor.ch Website: www.membrapor.ch Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

#### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar