

# **Specification Sheet**



# Sulfur Dioxide Gas Sensor SO2/C-20

SO2 Gas Sensor in Compact Housing

## **Applications**

- · Continuous Air Quality Monitoring
- Safety and Environmental Control

#### Measurement

Operation Principle	3-Electrode Electrochemical	
Nominal Range	0 - 20 ppm	
Maximum Overload	100 ppm	
Inboard Filter	-	
Output Signal	1000 ± 300 nA/ppm	
Resolution (Electronics dependent)	< 0.05 ppm	
T90 Response Time	< 15 s	
Typical Baseline Range (pure air, 20°C)	-0.1 ppm to 0.1 ppm	
Maximum Zero Shift (+20°C to +40°C)	see Graph	
Repeatability	< 2 % of signal	
Output Linearity	Linear	
Gain (Only applies to 4-Electrode sensors)	-	

Rev.: Apr-20 Page 1 of 5

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: info@membrapor.ch Website: www.membrapor.ch Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar



# **Specification Sheet**



# Sulfur Dioxide Gas Sensor SO2/C-20

## **Electrical**

Rec. Load Resistor	10 - 33 Ω
Bias (V_Sens-V_Ref)	not recommended
Conformity to RoHS directive	RoHS Compliance

### **Environmental**

Relative Humidity Range	15 % to 90 % RH non-condensing	
Temperature Range	-20 °C to 50 °C	
Pressure Range	Atmospheric ± 10%	
Pressure Coefficient	N.D.	
Humidity Effect	None	

### <u>Lifetime</u>

Expected Operation Life	2 years in air
Expected Long Term Output Drift in air	< 2 % signal loss per month
Filter Life	
Storage Life	6 months in container
Rec. Storage Temperature	5°C - 20°C
Warranty Period	12 months from date of dispatch

Rev.: Apr-20 Page 2 of 5

Phone: +41 43 311 72 00 Membrapor AG
Fax: +41 43 311 72 01 Birkenweg 2
E-Mail: info@membrapor.ch
Website: www.membrapor.ch
Switzerland

## Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar




# **Specification Sheet**



## Sulfur Dioxide Gas Sensor SO2/C-20

#### **Compact-Size Outline Dimensions**



## **Mechanical**

Weight 13 g

Orientation Any

Housing material Polycarbonate

Rev.: Apr-20 Page 3 of 5

Phone: +41 43 311 72 00 Membrapor AG
Fax: +41 43 311 72 01 Birkenweg 2
E-Mail: info@membrapor.ch
Website: www.membrapor.ch
Switzerland

### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar







## Sulfur Dioxide Gas Sensor SO2/C-20

## **Cross Sensitivity Data**

The table below does not claim to be complete. Interfering gases should not be used for calibration. Please contact Membrapor AG for further support regarding cross sensitivities.

Interfering Gas	Concentration [ppm]	Reading [ppm]
CO	100	< 1
H <sub>2</sub>	100	1
H <sub>2</sub> S	20	~ 17
NO	100	0
NO <sub>2</sub>	100	-125

Rev.: Apr-20 Page 4 of 5

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: info@membrapor.ch Website: www.membrapor.ch Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

#### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar








## Sulfur Dioxide Gas Sensor SO2/C-20

## **Temperature dependence**

The output of an electrochemical sensor varies with temperature. The graphs below show the temperature-dependent variation of baseline and sensitivity, respectively. The results shown here are raw data (batch average) without any post-processing steps. The sensitivity and baseline are referenced to the signal at 20°C (reference point).

Please note: It is highly recommended to acquire the temperature dependence curves with the whole instrument. The sampling system, the humidity, the electronics and the interaction between the electronics and the sensor have a significant impact on the temperature dependence of the final measurement reading.



Baseline shifted with respect to reference point at 20°C.

Rev.: Apr-20 Page 5 of 5

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: info@membrapor.ch Website: www.membrapor.ch Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

#### Performance data recorded at 20 - 25 °C, 30 - 50% RH, 900 - 1100 mbar