MEMBRAPOR Specification Sheet



Sulfur Dioxide Gas Sensor SO2/M-20

SO2 Gas Sensor in Miniature Housing

Applications

- Continuous Air Quality Monitoring
- For Portable Gas Detectors

Measurement

Operation Principle	3-Electrode Electrochemical
Nominal Range	0 - 20 ppm
Maximum Overload	100 ppm
Inboard Filter	-
Output Signal	500 ± 90 nA/ppm
Resolution (Electronics dependent)	< 0.2 ppm
T90 Response Time	< 15 s
Typical Baseline Range (pure air, 20°C)	-0.2 ppm to 0.2 ppm
Maximum Zero Shift (+20°C to +40°C)	0.5 ppm
Repeatability	< 2 % of signal
Output Linearity	Linear
Gain (Only applies to 4-Electrode sensors)	-

Rev.: Apr-20

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u> Page 1 of 4

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar

MEMBRAPOR Specification Sheet



Sulfur Dioxide Gas Sensor SO2/M-20

<u>Electrical</u>	
Rec. Load Resistor	10 - 33 Ω
Bias (V_Sens-V_Ref)	not recommended
Conformity to RoHS directive	RoHS Compliance
<u>Environmental</u>	
	15 % to 00 % DH non-condensing
Relative Humidity Range	15 % to 90 % RH non-condensing
Temperature Range	-20 °C to 50 °C
Pressure Range	Atmospheric ± 10%
Pressure Coefficient	N.D.
Humidity Effect	None
<u>Lifetime</u>	
Expected Operation Life	2 years in air
Expected Long Term Output Drift in air	< 2 % signal loss per month
Filter Life	
Storage Life	6 months in container

5°C - 20°C

12 months from date of dispatch

Warranty Period

Rec. Storage Temperature

Rev.: Apr-20

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u> Page 2 of 4

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar





Sulfur Dioxide Gas Sensor SO2/M-20

Miniature-Size Outline Dimensions

BOTTOM VIEW SIDE VIEW 20.5 mm 20 mm Sensing +16.4 mm→ ++15.7 mm→ Reference Counter 13.5 mm U 5 mm PCD Pin Projection Ø1.5 mm Pins 18 mm on 13.5 mm PCD

± 0.10 mm

Mechanical

Weight	5.5 g
Orientation	Any
Housing material	Polycarbonate

Rev.: Apr-20	Page 3 of 4
Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u>	Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland
Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar	

MEMBRAPOR Specification Sheet



Sulfur Dioxide Gas Sensor SO2/M-20

Cross Sensitivity Data

The table below does not claim to be complete. Interfering gases should not be used for calibration. Please contact Membrapor AG for further support regarding cross sensitivities.

Interfering Gas	Concentration [ppm]	Reading [ppm]
C_2H_4	100	0
СО	100	< 1
H ₂	100	< 1
H_2S	20	~ 10
NO	100	0
NO ₂	5	-4

Rev.: Apr-20

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u> Page 4 of 4

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar