## **MEMBRAPOR** Specification Sheet



## Sulfur Dioxide Gas Sensor SO2/MF-20

SO2 Gas Sensor in Miniature Housing

## **Applications**

- Continuous Air Quality Monitoring
- For Portable Gas Detectors

## **Measurement**

Operation Principle	3-Electrode Electrochemical
Nominal Range	0 - 20 ppm
Maximum Overload	100 ppm
Inboard Filter	To remove effect from H2S and HCI
Output Signal	500 ± 150 nA/ppm
Resolution (Electronics dependent)	< 0.1 ppm
T90 Response Time	< 20 s
Typical Baseline Range (pure air, 20°C)	-0.1 ppm to 0.1 ppm
Maximum Zero Shift (+20°C to +40°C)	0.2 ppm
Repeatability	< 2 % of signal
Output Linearity	Linear
Gain (Only applies to 4-Electrode sensors)	-

Rev.: Apr-20

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u> Page 1 of 4

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

#### Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar

**MEMBRAPOR** Specification Sheet



## Sulfur Dioxide Gas Sensor SO2/MF-20

Rec. Load Resistor	10 - 33 Ω
Bias (V_Sens-V_Ref)	not recommended
Conformity to RoHS directive	RoHS Compliance

## **Environmental**

Relative Humidity Range	15 % to 90 % RH non-condensing
Temperature Range	-20 °C to 50 °C
Pressure Range	Atmospheric ± 10%
Pressure Coefficient	N.D.
Humidity Effect	None

## **Lifetime**

Expected Operation Life	2 years in air
Expected Long Term Output Drift in air	< 2 % signal loss per month
Filter Life	N.D.
Storage Life	6 months in container
Rec. Storage Temperature	5°C - 20°C
Warranty Period	12 months from date of dispatch

Rev.: Apr-20

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u> Page 2 of 4

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

#### Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar





## Sulfur Dioxide Gas Sensor SO2/MF-20

#### **Miniature-Size Outline Dimensions**

BOTTOM VIEW SIDE VIEW 20.5 mm 20 mm Sensing +16.4 mm→ +-15.7 mm→ Reference Counter 13.5 mm U 5 mm PCD Pin Projection Ø1.5 mm Pins 18 mm on 13.5 mm PCD

± 0.10 mm

### **Mechanical**

Weight	5.5 g
Orientation	Any
Housing material	Polycarbonate

Rev.: Apr-20	Page 3 of 4
Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u>	Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland
Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar	

# **MEMBRAPOR** Specification Sheet



## Sulfur Dioxide Gas Sensor SO2/MF-20

## **Cross Sensitivity Data**

The table below does not claim to be complete. Interfering gases should not be used for calibration. Please contact Membrapor AG for further support regarding cross sensitivities.

Interfering Gas	Concentration [ppm]	Reading [ppm]
$C_2H_4$	100	0
СО	100	< 1
H <sub>2</sub>	100	< 1
$H_2S$	20	0
NO	100	0
NO <sub>2</sub>	100	~ -125

Rev.: Apr-20

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 E-Mail: <u>info@membrapor.ch</u> Website: <u>www.membrapor.ch</u> Page 4 of 4

Membrapor AG Birkenweg 2 CH-8304 Wallisellen Switzerland

#### Performance data recorded at 20 – 25 °C, 30 - 50% RH, 900 - 1100 mbar